




NTN BEARING-SUDAMERICANA, S.A.

INA PASEY17 Bearing unit



PASEY17 Bearing 2D drawings and 3D CAD models

Bearing No. PASEY17

Bore Diameter	17 mm
d	17 mm
S1	16 mm
Thread (Q)	M6
A	30 mm
A1	18 mm
B	22 mm
H	30,2 mm
H1	10 mm
H2	57 mm
J	95 mm
L	125 mm
N	11 mm
N1	19 mm
Weight	0,42 Kg
Basic dynamic load rating (C)	9,8 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.55
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing



NTN BEARING-SUDAMERICANA, S.A.

Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GAY17NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Spherical Standard Shaft Height With Grub Screw
Long Description	2 Bolt Pillow Block; 17MM Bore; 30.2MM Base to Center Height; Set Screw Mount; Ball Bearing; 81MM Minimum Bolt Spacing; 103MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Lip Contact; Non-e
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	PASEY17
Weight / LBS	1.213
Bolt Spacing Minimum	3.189 Inch 81Millimeter
Nominal Bolt Center to Center	3.8 Inch 97 Millimeter
Bore	0.669 Inch 17 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Length Thru Bore	0.866 Inch 22 Millimeter
Base to Center Height	1.189 Inch 30.2 Millimeter
Bolt Spacing Maximum	4.055 Inch 103Millimeter



NTN BEARING-SUDAMERICANA, S.A.